



HO TENDERS

PRR T-1 Duplex Tender with Die Cast Body



PRR 13,000 Gallon Tender



HO TENDERS


#150650 LONG HAUL TENDER

#150660 8-WHEEL LONGHAUL TENDER

DIMENSIONS:


Length	7"
Height	1 15/16"
Width	2 15/64"

Our new 7006 Eight Wheel Truck screws directly onto the mounting post in the long haul tender. (Use 325 screws)



#150681 ELECTRIFICATION KIT FOR MONOGRAM & CON COR 14-WHEEL TENDER

PICK-UP KIT to adapt Monogram Models' 14-wheel Tender for operation behind your Bowser Big Boy or Challenger Tender body is found in Monogram Models' Big Boy Kits #1600, #1601 & #1602. The Pick-Up Kit includes instructions with drawings; brass wheels with needle-point axles for front truck and brass wheels and bearings for rear trucks; coupler pocket and cover; electric wireless drawbar and weight. The only tools required are a knife, file, screwdriver and #43 & #49 drills.




HO TENDERS

#150001 SP-1 SEMI-VANDERBILT TENDER

16,500 Gallon Semi-Vanderbilt Tender

Dimensions: 5 1/32" long x 1 15/32" wide x 2" high



#150690 PRR A-5 SLOPED DECKED TENDER KIT


5,700 Gallon Sloped Deck Tender

DIMENSIONS:

Length 3 7/8"

Height 1 5/8"


Width 1 3/8"



#150032 32' TENDER KIT

The 32' tender is the size chosen by the USRA to use behind Mikados, Mountains and the light Santa Fe's. It also saw service behind Pacifics. This little tender is similar to those used by many roads and they provide an alternative to the Pennsy styles.


To install Kadee® couplers on the 32' tender, file the integral coupler box from the underframe and install #5 coupler and spring in the cast-on pocket, but it may cause a short when double-heading or when coupled to a car with metal frame and trucks.



NOTE: Use #4224 coupler and #2778 cover with #256041 screw

HO TENDERS


PRR LINES WEST TENDER EXTENSION KIT



TIP:

If you are having trouble with the electrical pickup from your tender after assembling, check to be sure the Boss on the floor and the trucks are clean and free of any paint.

PRR HIGH & LOW SIDE TENDER Body castings are not available




BOWSER Tender dies have been changed to accept Kadee® #5 coupler or Bowser's #4220 coupler with #4224 coupler pocket and cover #2778.

PRR T-7 TENDER KIT - with brass sides

Dimensions: 7 1/2" Long x 13/32" x 2 1/16" high

This tender is a model of the welded tender used by the Pennsy with the T-1. The Q-1, S-2 and possibly one streamlined K-4 used the same type tender with a different deck height, while the S-1 had a similar tender with a greater water capacity. These tenders often saw service behind different classes of locomotives. Deck height was adjusted where necessary, thus 180 P84 could also become 180 P85 or 180 F75.



To install Kadee® couplers on the T-7 tender, file the coupler box detail from the rear sill. Then file a slot in the bottom of rear casting wide enough to accept the #5 coupler and insulated gear box.

Pennsy Decal #8001
as in photo - not included
in Tender Kit